



Gioconda is a pleated flyscreen, clutch-operated, suitable for windows and doors with vertical operation. The perfect solution to be used with the Plissè door.

The operation stick will help the opening/closing of the screen. \\

Standard net is black, available on request is the Grey net.

Optional:

Operation stick 50 cm

Darkening screen maximum height 195 cm interior use
Filtering screen maximum height 237 cm interior use



Darkening/filtering screening

Dimensions must be communicated Width X Height in mm clearly stating if it is finished measure of the flyscreen or if it is the opening measure

Finished measure: flyscreen supplied with the given sizes

es. \checkmark Window opening: the flyscreen will be supplied 3mm less than the given size.

suggested size (mm)		W	Н
	min.	250	-
	max.	1400	2500





Black net standard - Grey net on request



	GIOCONDA CLUTCH	min. to invoice 1,5 sqm	€ 72,41 sqm
Optional	Operations stick H 50 cm		€ 10,28 pc
	Darkening H max 170 cm, interior use		€ 48,07 sqm
	Filtering screens H max 170 cm, interior use		€ 48,07 sqm



Gioconda is a pleated flyscreen, clutch-operated, suitable for windows and doors with vertical operation operated by a chain.

Operating system is free, not clutched, and the stop is positioned laterally.

Standard net is black, available on request is the Grey net.






Dimensions must be communicated Width X Height in mm clearly stating if it is finished measure of the flyscreen or if it is the opening measure

▼ Finished measure: flyscreen supplied with the given sizes.

✓ Window opening: the flyscreen will be supplied 3mm less than the given size

suggested size (mm)	from W mm	to W mm	H max
	500	800	1700
	800	1300	2000
	1300	2000	2400





Chain stopper




Black net standard Grey net on request

GIOCONDA CHAIN min. to invoice 1,5 sgm €72,41 sgn



Oscura is an indoor blind system for frontal application. It is characterized by the clutched movement of the pleated screen and by the reduced size of profiles.

It is the ideal solution for oblique windows as it can be installed from 0° to 90° and the possibility to actionate it horizontally or vertically.






Dimensions must be communicated width x height in mm clearly stating if it is finished measure of the flyscreen or if it is the opening measure (door or window).

▼ Finished measure: the flyscreen will be supplied with the

✓ Window opening: the flyscreen will be supplied 2mm less

suggested size (mm)		W	Н
	min.	300	-
	max.	1400	1400





SCURA min. to invoice 1,50 smg € 126,32 sgm